

J Series

ATX chassis



Features

● TAC 2.0 Thermal Solution

Qualified for TAC 2.0, a mass ventilation hole side panel design strengthens thermal efficiency and cools down the entire system.



● Cooling Fan

Optional 12cm auxiliary cooling fan at rear panel for better system cooling.



● Side Panel Clip

The patented tool free installation side panel clip.



● Stamped Motherboard Support

No M/B standoffs installation required, for faster M/B installation.

J649 ■■

J619 ■■

CASE SIZE	Mid Tower Chassis
EXTERNAL DRIVE BAY	5.25" x 4, 3.5" x 2
INTERNAL DRIVE BAY	3.5" x 3
FRONT PORTS	USB2.0x4, HD/AC'97 Audio
DIMENSIONS(HxWxD)	16.8" x 8.3" x 17.4"
w/o Front Panel	426 x 210 x 440mm
M/B	ATX, mATX, CEB, I.1 Server M/B
I/O EXPANSION SLOTS	PCI-E/PCI/AGP Slot x 7
POWER SUPPLY	ATX 12V, PS II
THERMAL SOLUTION	Intel TAC 2.0
COOLING FAN	Optional 9 or 12cm Rear Fan
SAFETY	Meets RoHS, CE and FCC Class B Requirements.
SECURITY	Padlock Loop for Padlock / Kensington Slot
OPTIONAL	9 or 12cm Rear Fan / HD Audio / IEEE 1394 / Chassis Intrusion Switch

Specification